APR
40 14
1992

Date V./V. A Label No. FBA102.85 86 0 I hereby certify that, on the date indicated above I deposited this paper or fee with the U.S. Postal Service & that it was addressed for delivery to the Commissioner of Patents & Trademarks, Washington, DC 20231 by "Express Mail Post Office to Addressee" service.

HANRIETTA MALLON Humitta HanName (Print)
Signature

7 330 X Spruell 4-22-92

#7/Disclour

2954/06403

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

MICHEAL BIRSHA DAVIES, DAVID JOHN HEARNE, PAUL KENNETH RAND and RICHARD IAN WALKER

Serial No.: 663,145

Group Art Unit: 3307

Filed: 1 March 1991

Examiner: A. Lewis

For: INHALATION DEVICE

April 14, 1992

## INFORMATION DISCLOSURE STATEMENT

Hon. Commissioner of Patents and Trademarks Washington, DC 20231

Sir:

This Information Disclosure Statement is being filed to fulfill the duty of candor and good faith toward the Patent and Trademark Office, as required by C.F.R. §1.56.

It is believed that the following materials may be pertinent to the subject invention. Copies of the references and PTO Form 1449 are attached.

Additionally, attached hereto are two recent search reports with respect to applicants' French and Belgian corresponding applications. The search reports list the

identical references, the first three of which have already been submitted to the Examiner in the Information Disclosure Statement filed 11 July 1991. The remaining three references have been designated as Category "A" in both search reports. However, in the case of the Belgian search report, the wording translates as "technological background". In the case of the French search report, the wording translates as "relevant against at least one claim or general technological background".

It is respectfully requested that the references identified on the attached PTO Form 1449 be made of record herein.

Respectfully submitted,

Paul Fields

Registration No. 20,298 Attorney for Applicant(s)

DARBY & DARBY 805 Third Avenue New York, NY 10022 (212) 527-7700